
## **CR-WiFi G7S**

## **Specifications**

The parameter name		CR-WiFi G7S
Processor	CPU	IMX6
Memory	RAM	256MB
	ROM	4GB
Display	Screen type	a-si TFT LCD
	Size	8.0*
	Resolution	1280×800
	Aspect ratio	16:9
	Deep color	18, 256KColor
	Transparency	8 , alpha Channel
	Brightness	4000Nit(cd/m <sup>r</sup> )
	Contrast	800:1
	Backlight	WLED
	Visual angle	Horizontal ± 85° Vertical ± 85°
Control - touch panel	Touch screen	8.0" Resistive touch screen
	On/off	Power Toggle on / off .RF/WiFiSwitch on / off
	Power inter- face	DC12V/3.3A Input
	The USB interface	Mini USB
Audio	Speaker Dual channelL+R Stereo Output , 8Ω1W	
Video	Quantity	1-way PIP
	Input mode	WiFi
	Range	<30M(Open field)
Wireless	RF	433MHzBarrier-free transmission distance50m
	WiFi	2.4GHz,Barrier-free transmission distance100m
Power con- sumption	The static power cons- umption	0.0005W(5V/0.1mA)
	Maximum power cons- umption	5.35W(5V/1070mA)

The paramet	ter name	CR-WiFi G7S
	Capacity	3.7V/5500mAH
Battery	Charging saturation time	5H
2000000	Charging temperature	0°C −45°C
	Specifications	Lithium ion rechargeable battery7.4V
Specifications	Weight	About 0.5kg
The graphics engine	BiTBLIT and rotating 2D graphics acceleration engine	

## Diagram



## Drawing



Size(mm): 206(L)X145(W)X29.8(H)